

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DEMAND CS INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	10/17/2023	S00071785198	Date of first issue: 10/17/2023

SECTION 1. IDENTIFICATION

Product name : DEMAND CS INSECTICIDE
Design code : A12690V

Manufacturer or supplier's details

Company name of supplier : Syngenta Crop Protection, LLC
Address : Post Office Box 18300
Greensboro NC 27419
United States of America (USA)

Telephone : 1 800 334 9481
Telefax : 1 336 632 2192

E-mail address : sds.requests@syngenta.com

Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

Restrictions on use : General Use Pesticide

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Inhalation) : Category 4

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H332 Harmful if inhaled.

Precautionary Statements :

Prevention:

P261 Avoid breathing mist or vapors.

P271 Use only outdoors or in a well-ventilated area.

Response:

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

Other hazards

May cause temporary itching, tingling, burning or numbness of exposed skin, called paresthesia.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DEMAND CS INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	10/17/2023	S00071785198	Date of first issue: 10/17/2023

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
lambda-cyhalothrin	91465-08-6	9.5511
Hydrocarbons, C9, Aromatics	128601-23-0	>= 5 - < 10
propane-1,2-diol	57-55-6	>= 5 - < 10
orthophosphoric acid	7664-38-2	>= 1 - < 5
dioxosilane	14808-60-7	>= 0.1 - < 1

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
- If inhaled : Take the victim into fresh air.
If breathing is irregular or stopped, administer artificial respiration.
Keep patient warm and at rest.
Call a physician or poison control center immediately.
- In case of skin contact : Take off all contaminated clothing immediately.
Wash off immediately with plenty of water.
If skin irritation persists, call a physician.
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Remove contact lenses.
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.
Do NOT induce vomiting.
- Most important symptoms and effects, both acute and delayed : Aspiration may cause pulmonary edema and pneumonitis.
Skin contact paresthesia effects (itching, tingling, burning or numbness) are transient, lasting up to 24 hours.
Harmful if inhaled.
- Notes to physician : Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.
Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Extinguishing media - small fires
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Extinguishing media - large fires
Alcohol-resistant foam
or
Water spray
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DEMAND CS INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	10/17/2023	S00071785198	Date of first issue: 10/17/2023

- Specific hazards during fire fighting : As the product contains combustible organic ingredients, fire will produce dense black smoke containing hazardous products of combustion (see section 10). Exposure to decomposition products may be a hazard to health.
- Further information : Do not allow run-off from fire fighting to enter drains or water courses.
Cool closed containers exposed to fire with water spray.
- Special protective equipment for fire-fighters : Wear full protective clothing and self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Clean contaminated surface thoroughly.
Clean with detergents. Avoid solvents.
Retain and dispose of contaminated wash water.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : No special protective measures against fire required.
Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
For personal protection see section 8.
- Conditions for safe storage : No special storage conditions required.
Keep containers tightly closed in a dry, cool and well-ventilated place.
Keep out of the reach of children.
Keep away from food, drink and animal feedingstuffs.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
lambda-cyhalothrin	91465-08-6	TWA	0.04 mg/m ³ (Skin)	Syngenta
Hydrocarbons, C9, Aromatics	128601-23-0	TWA	19 ppm 100 mg/m ³	Supplier

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DEMAND CS INSECTICIDE

Version 0.0 Revision Date: 10/17/2023 SDS Number: S00071785198 Date of last issue: -
Date of first issue: 10/17/2023

propane-1,2-diol	57-55-6	TWA	10 mg/m3	US WEEL
orthophosphoric acid	7664-38-2	TWA	1 mg/m3	ACGIH
		STEL	3 mg/m3	ACGIH
		TWA	1 mg/m3	NIOSH REL
		ST	3 mg/m3	NIOSH REL
		TWA	1 mg/m3	OSHA Z-1
		TWA	1 mg/m3	OSHA P0
		STEL	3 mg/m3	OSHA P0
dioxosilane	14808-60-7	TWA (respirable)	10 mg/m3 / %SiO ₂ +2	OSHA Z-3
		TWA (respirable)	250 mppcf / %SiO ₂ +5	OSHA Z-3
		TWA (respirable dust fraction)	0.1 mg/m3	OSHA P0
		TWA (Respirable particulate matter)	0.025 mg/m3 (Silica)	ACGIH
		TWA (Respirable dust)	0.05 mg/m3 (Silica)	NIOSH REL
		TWA (Respirable dust)	0.05 mg/m3	OSHA Z-1

Engineering measures : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated. The extent of these protection measures depends on the actual risks in use. Maintain air concentrations below occupational exposure standards. Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Respiratory protection : Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Remarks : Wear protective gloves. The choice of an appropriate glove

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DEMAND CS INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	10/17/2023	S00071785198	Date of first issue: 10/17/2023

does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The breakthrough time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : No special protective equipment required.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Remove and wash contaminated clothing before re-use.

Wear as appropriate:

Impervious clothing

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.

When selecting personal protective equipment, seek appropriate professional advice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : beige

Odor : No data available

Odor Threshold : No data available

pH : 5.5
Concentration: 1 %w/v

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : Method: method not specified
does not flash

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DEMAND CS INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	10/17/2023	S00071785198	Date of first issue: 10/17/2023

Vapor pressure	:	No data available
Relative vapor density	:	No data available
Density	:	1.047 g/cm ³
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	1175 °F / 635 °C
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available
Particle size	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	None reasonably foreseeable.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	No decomposition if used as directed.
Incompatible materials	:	None known.
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion
Inhalation
Skin contact
Eye contact

Acute toxicity

Harmful if inhaled.

Product:

Acute oral toxicity	:	LD50 (Rat, male and female): > 5,000 mg/kg
Remarks: Based on data from similar materials		

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DEMAND CS INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	10/17/2023	S00071785198	Date of first issue: 10/17/2023

Acute inhalation toxicity : LC50 (Rat, male and female): > 4.62 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The component/mixture is moderately toxic after short term inhalation., The substance/mixture is not toxic on inhalation as defined by dangerous goods regulations.
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat, male and female): > 4,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Based on data from similar materials

Components:

lambda-cyhalothrin:

Acute oral toxicity : LD50 (Rat, female): 56 mg/kg
Acute inhalation toxicity : LC50 (Rat, male and female): 0.06 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Acute dermal toxicity : LD50 (Rat, male): 632 mg/kg

Hydrocarbons, C9, Aromatics:

Acute oral toxicity : LD50 (Rat, female): 3,492 mg/kg

orthophosphoric acid:

Acute oral toxicity : LD50 (Rat): 301 mg/kg
Acute dermal toxicity : LD50 (Rabbit): 2,750 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Result : No skin irritation
Remarks : Based on data from similar materials

Components:

lambda-cyhalothrin:

Species : Rabbit
Result : No skin irritation

Hydrocarbons, C9, Aromatics:

Result : Repeated exposure may cause skin dryness or cracking.
Species : Rabbit
Result : Mild skin irritation

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DEMAND CS INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	10/17/2023	S00071785198	Date of first issue: 10/17/2023

orthophosphoric acid:

Result : Corrosive after 3 minutes to 1 hour of exposure

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Result : No eye irritation

Components:

lambda-cyhalothrin:

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified due to lack of data.

Respiratory sensitization

Not classified due to lack of data.

Components:

lambda-cyhalothrin:

Test Type : Maximization Test
Species : Guinea pig
Result : Does not cause skin sensitization.

Test Type : Local lymph node assay (LLNA)
Species : Mouse
Result : Does not cause skin sensitization.

Germ cell mutagenicity

Not classified due to lack of data.

Components:

lambda-cyhalothrin:

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

orthophosphoric acid:

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

Carcinogenicity

Not classified due to lack of data.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DEMAND CS INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	10/17/2023	S00071785198	Date of first issue: 10/17/2023

Components:

lambda-cyhalothrin:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

dioxosilane:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

IARC has concluded that there is sufficient evidence in humans for the carcinogenicity of inhaled crystalline silica in the form of quartz or cristobalite from occupational sources and in experimental animals from quartz and cristobalite (Group 1). It was noted however, that carcinogenicity was not detected in all industrial circumstances and may be dependent on inherent characteristics of the crystalline silica or external factors affecting its biological activity.

Reproductive toxicity

Not classified due to lack of data.

Components:

lambda-cyhalothrin:

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

orthophosphoric acid:

Reproductive toxicity - Assessment : No toxicity to reproduction

STOT-single exposure

Not classified due to lack of data.

Components:

lambda-cyhalothrin:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Hydrocarbons, C9, Aromatics:

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

STOT-repeated exposure

Not classified due to lack of data.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DEMAND CS INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	10/17/2023	S00071785198	Date of first issue: 10/17/2023

Components:

lambda-cyhalothrin:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

dioxosilane:

Routes of exposure : Inhalation
Target Organs : Lungs
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

Aspiration toxicity

Not classified due to lack of data.

Components:

Hydrocarbons, C9, Aromatics:

May be fatal if swallowed and enters airways.

Further information

Product:

Remarks : May cause temporary itching, tingling, burning or numbness of exposed skin, called paresthesia.

Components:

lambda-cyhalothrin:

Remarks : May cause temporary itching, tingling, burning or numbness of exposed skin, called paresthesia.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

lambda-cyhalothrin:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 0.000078 mg/l
Exposure time: 96 h

LC50 (Ictalurus punctatus (channel catfish)): 0.00016 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.00036 mg/l
Exposure time: 48 h

LC50 (Americamysis): 0.000007 mg/l
Exposure time: 48 h

EC50 (Hyalella azteca (Amphipod)): 0.000002 mg/l

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DEMAND CS INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	10/17/2023	S00071785198	Date of first issue: 10/17/2023

Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 0.31 mg/l
Exposure time: 96 h

M-Factor (Acute aquatic toxicity) : 100,000

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.000031 mg/l
Exposure time: 300 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.000002 mg/l
Exposure time: 21 d

NOEC (Americamysis): 0.00022 µg/l
Exposure time: 28 d

M-Factor (Chronic aquatic toxicity) : 100,000

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l
Exposure time: 3 h

Hydrocarbons, C9, Aromatics:

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 9.2 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 3.2 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 2.9 mg/l
Exposure time: 72 h

NOELR (Raphidocelis subcapitata (freshwater green alga)): 1.0 mg/l
End point: Growth rate
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOELR (Oncorhynchus mykiss (rainbow trout)): 1.228 mg/l
Exposure time: 28 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOELR (Daphnia magna (Water flea)): 2.144 mg/l
Exposure time: 21 d

Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

orthophosphoric acid:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 3 - 3.25 mg/l
Exposure time: 96 h

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DEMAND CS INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	10/17/2023	S00071785198	Date of first issue: 10/17/2023

Ecotoxicology Assessment

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Persistence and degradability

Components:

lambda-cyhalothrin:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 7 d
Remarks: Product is not persistent.

Hydrocarbons, C9, Aromatics:

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential

Components:

lambda-cyhalothrin:

Bioaccumulation : Remarks: Bioaccumulates

Mobility in soil

Components:

lambda-cyhalothrin:

Distribution among environmental compartments : Remarks: immobile

Stability in soil : Dissipation time: 56 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

Other adverse effects

Components:

lambda-cyhalothrin:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

orthophosphoric acid:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DEMAND CS INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	10/17/2023	S00071785198	Date of first issue: 10/17/2023

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	:	Do not contaminate ponds, waterways or ditches with chemical or used container. Do not dispose of waste into sewer. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations.
Contaminated packaging	:	Empty remaining contents. Triple rinse containers. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (LAMBDA-CYHALOTHRIN)
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes
Remarks	:	This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IATA-DGR

UN/ID No.	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (LAMBDA-CYHALOTHRIN)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	964
Packing instruction (passenger aircraft)	:	964
Environmentally hazardous	:	yes
Remarks	:	This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IMDG-Code

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DEMAND CS INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	10/17/2023	S00071785198	Date of first issue: 10/17/2023

(LAMBDA-CYHALOTHRIN)

Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes
Remarks	:	This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Remarks	:	Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.
---------	---	---

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	Acute toxicity (any route of exposure)
----------------------	---	--

SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
----------	---	---

SECTION 16. OTHER INFORMATION

Further information

SAFETY DATA SHEET


according to the OSHA Hazard Communication Standard



DEMAND CS INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	10/17/2023	S00071785198	Date of first issue: 10/17/2023

NFPA 704:



HMIS® IV:

HEALTH	/	1
FLAMMABILITY		0
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	: USA. NIOSH Recommended Exposure Limits
OSHA P0	: USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
OSHA Z-3	: USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
Syngenta	: Syngenta Occupational Exposure Limits
US WEEL	: USA. Workplace Environmental Exposure Levels (WEEL)
ACGIH / TWA	: 8-hour, time-weighted average
ACGIH / STEL	: Short-term exposure limit
NIOSH REL / TWA	: Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	: STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA P0 / TWA	: 8-hour time weighted average
OSHA P0 / STEL	: Short-term exposure limit
OSHA Z-1 / TWA	: 8-hour time weighted average
OSHA Z-3 / TWA	: 8-hour time weighted average
Syngenta / TWA	: Time weighted average
US WEEL / TWA	: 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DEMAND CS INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	10/17/2023	S00071785198	Date of first issue: 10/17/2023

International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 10/17/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8