

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## PREMISE FOAM

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: 09/18/2024  |
| 3.0     | 11/06/2024     | 11272209-00003 | Date of first issue: 09/15/2023 |

### SECTION 1. IDENTIFICATION

Product name : PREMISE FOAM

Product code : Article/SKU: D00000977 UVP: 06335683 Specification: 102000011452 EPA Registration No: 101563-99

#### Manufacturer or supplier's details

Company name of supplier : Environmental Science U.S. LLC.

Address : 5000 Centregreen Way, Suite 400  
Cary NC 27513

Telephone : 1-800-331-2867

Emergency telephone : +1 703-741-5970

E-mail address : uscontact@envu.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

Restrictions on use : See product label for restrictions.

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Gases under pressure : Compressed gas

#### GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H280 Contains gas under pressure; may explode if heated.

Precautionary Statements : **Storage:**  
P410 + P403 Protect from sunlight. Store in a well-ventilated place.

#### Other hazards

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## PREMISE FOAM

Version 3.0      Revision Date: 11/06/2024      SDS Number: 11272209-00003      Date of last issue: 09/18/2024  
Date of first issue: 09/15/2023

Substance / Mixture : Mixture  
Chemical nature : Aerosol dispenser (AE)

### Components

| Chemical name                                                                                   | CAS-No.     | Concentration (% w/w)  |
|-------------------------------------------------------------------------------------------------|-------------|------------------------|
| Isobutane                                                                                       | 75-28-5     | $\geq 5 - < 10$        |
| Glycerine                                                                                       | 56-81-5     | $\geq 1 - < 5$         |
| Alcohols, C10-14, ethoxylated                                                                   | 66455-15-0  | $\geq 1 - < 5$         |
| Imidacloprid                                                                                    | 138261-41-3 | $< 0.1$                |
| Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | 55965-84-9  | $\geq 0.0015 - < 0.06$ |

Actual concentration is withheld as a trade secret

### Alternative CAS Numbers for some regions

| Chemical name                                                                                   | Alternative CAS Number(s) |
|-------------------------------------------------------------------------------------------------|---------------------------|
| Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | 2682-20-4, 26172-55-4     |

## SECTION 4. FIRST AID MEASURES

If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap as a precaution.  
Get medical attention if symptoms occur.

In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : No symptoms known or expected.  
This product contains a nicotinoid.

Protection of first-aiders : No special precautions are necessary for first aid responders.

Notes to physician : There is no specific antidote available.  
Treat symptomatically.  
In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours.  
However, the application of activated charcoal and sodium sulphate is always advisable.  
Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.

## SECTION 5. FIRE-FIGHTING MEASURES

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## PREMISE FOAM

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: 09/18/2024  |
| 3.0     | 11/06/2024     | 11272209-00003 | Date of first issue: 09/15/2023 |

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire fighting : Vapors may form explosive mixtures with air.  
May form explosive mixtures in air.  
Exposure to combustion products may be a hazard to health.  
If the temperature rises there is danger of the vessels bursting due to the high vapor pressure.

Hazardous combustion products : Carbon oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Fight fire remotely due to the risk of explosion.  
Use water spray to cool unopened containers.  
Leaking gas fire: Do not extinguish, unless leak can be stopped safely.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.  
Use personal protective equipment.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Only trained personnel should re-enter the area.  
Remove all sources of ignition.  
Ventilate the area.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for : Non-sparking tools should be used.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## PREMISE FOAM

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: 09/18/2024  |
| 3.0     | 11/06/2024     | 11272209-00003 | Date of first issue: 09/15/2023 |

containment and cleaning up

Soak up with inert absorbent material.  
Suppress (knock down) gases/vapors/mists with a water spray jet.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

|                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Technical measures          | : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Local/Total ventilation     | : If sufficient ventilation is unavailable, use with local exhaust ventilation.<br>If advised by assessment of the local exposure potential, use only in an area equipped with explosion-proof exhaust ventilation.                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Advice on safe handling     | : Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment<br>Keep container tightly closed.<br>Open the valves slowly to prevent pressure surges.<br>Close valve after each use and when empty. Do NOT change or force fit connections.<br>Prevent the intrusion of water into the gas tank.<br>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.<br>Take precautionary measures against static discharges.<br>Take care to prevent spills, waste and minimize release to the environment.<br>Do not spray on an open flame or other ignition source. |
| Conditions for safe storage | : Keep in properly labeled containers.<br>Keep tightly closed.<br>Keep in a cool, well-ventilated place.<br>Keep away from direct sunlight.<br>Store in accordance with the particular national regulations.<br>Keep away from heat and sources of ignition.                                                                                                                                                                                                                                                                                                                                                                                                                |
| Materials to avoid          | : Do not store with the following product types:<br>Self-reactive substances and mixtures<br>Organic peroxides<br>Oxidizing agents<br>Flammable liquids                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## PREMISE FOAM

Version 3.0      Revision Date: 11/06/2024      SDS Number: 11272209-00003      Date of last issue: 09/18/2024  
Date of first issue: 09/15/2023

Flammable solids  
Pyrophoric liquids  
Pyrophoric solids  
Self-heating substances and mixtures  
Substances and mixtures which in contact with water emit flammable gases  
Explosives  
Very acutely toxic substances and mixtures  
Acutely toxic substances and mixtures  
Substances and mixtures with chronic toxicity

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

| Components | CAS-No. | Value type<br>(Form of exposure) | Control parameters / Permissible concentration | Basis     |
|------------|---------|----------------------------------|------------------------------------------------|-----------|
| Isobutane  | 75-28-5 | TWA                              | 800 ppm<br>1,900 mg/m <sup>3</sup>             | NIOSH REL |
|            |         | STEL                             | 1,000 ppm                                      | ACGIH     |

**Engineering measures** : Minimize workplace exposure concentrations.  
If sufficient ventilation is unavailable, use with local exhaust ventilation.  
If advised by assessment of the local exposure potential, use only in an area equipped with explosion-proof exhaust ventilation.

#### Personal protective equipment

**Respiratory protection** : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

**Hand protection**  
**Material** : Nitrile rubber

**Remarks** : Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## PREMISE FOAM

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: 09/18/2024  |
| 3.0     | 11/06/2024     | 11272209-00003 | Date of first issue: 09/15/2023 |

workday. Breakthrough time is not determined for the product. Change gloves often!

Eye protection : Wear the following personal protective equipment:  
Safety glasses

Skin and body protection : Wear the following personal protective equipment:  
If assessment demonstrates that there is a risk of explosive atmospheres or flash fires, use flame retardant antistatic protective clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Aerosol containing a compressed gas

Color : white

Odor : very faint

Odor Threshold : No data available

pH : 5 - 7.5  
Concentration: 10 %  
deionized water

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : 199.9 °F / 93.3 °C  
Flash point is only valid for liquid portion in the aerosol can.

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : Ignitable (see flash point)

Upper explosion limit / Upper flammability limit : No data available

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## PREMISE FOAM

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: 09/18/2024  |
| 3.0     | 11/06/2024     | 11272209-00003 | Date of first issue: 09/15/2023 |

|                                                  |   |                                                          |
|--------------------------------------------------|---|----------------------------------------------------------|
| Lower explosion limit / Lower flammability limit | : | No data available                                        |
| Vapor pressure                                   | : | No data available                                        |
| Relative vapor density                           | : | No data available                                        |
| Relative density                                 | : | No data available                                        |
| Density                                          | : | ca. 0.98 g/cm <sup>3</sup> (68 °F / 20 °C)               |
| Solubility(ies)<br>Water solubility              | : | soluble                                                  |
| Partition coefficient: n-octanol/water           | : | Not applicable                                           |
| Autoignition temperature                         | : | No data available                                        |
| Decomposition temperature                        | : | No data available                                        |
| Viscosity<br>Viscosity, dynamic                  | : | 3 mPa.s (77 °F / 25 °C)                                  |
| Viscosity, kinematic                             | : | No data available                                        |
| Explosive properties                             | : | Not explosive                                            |
| Oxidizing properties                             | : | The substance or mixture is not classified as oxidizing. |
| Heat of combustion                               | : | 5.54 kJ/g                                                |
| Particle characteristics<br>Particle size        | : | Not applicable                                           |

### SECTION 10. STABILITY AND REACTIVITY

|                                    |   |                                                                                                                                                                                            |
|------------------------------------|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Reactivity                         | : | Not classified as a reactivity hazard.                                                                                                                                                     |
| Chemical stability                 | : | Stable if used as directed. Follow precautionary advice and avoid incompatible materials and conditions.                                                                                   |
| Possibility of hazardous reactions | : | Vapors may form explosive mixture with air.<br>May form explosive mixtures in air.<br>Can react with strong oxidizing agents.<br>Flammable chemical under pressure: May explode if heated. |
| Conditions to avoid                | : | Heat, flames and sparks.                                                                                                                                                                   |
| Incompatible materials             | : | Oxidizing agents                                                                                                                                                                           |

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## PREMISE FOAM

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: 09/18/2024  |
| 3.0     | 11/06/2024     | 11272209-00003 | Date of first issue: 09/15/2023 |

Hazardous decomposition products : No hazardous decomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

#### Components:

##### Isobutane:

Acute inhalation toxicity : LC50 (Rat): 570000 ppm  
Exposure time: 15 min  
Test atmosphere: gas

##### Glycerine:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Acute dermal toxicity : LD50 (Guinea pig): > 5,000 mg/kg

##### Alcohols, C10-14, ethoxylated:

Acute oral toxicity : LD50 (Rat): 1,000 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 1.6 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Acute dermal toxicity : LD50 (Rat): > 4,000 mg/kg

##### Imidacloprid:

Acute oral toxicity : LD50 (Mouse, male): 131 mg/kg  
Method: OECD Test Guideline 401  
Acute inhalation toxicity : LC50 (Rat): > 5.323 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## PREMISE FOAM

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: 09/18/2024  |
| 3.0     | 11/06/2024     | 11272209-00003 | Date of first issue: 09/15/2023 |

### Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

|                           |                                                                                                                                 |
|---------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| Acute oral toxicity       | : LD50 (Rat): 64 mg/kg                                                                                                          |
| Acute inhalation toxicity | : LC50 (Rat): 0.171 mg/l<br>Exposure time: 4 h<br>Test atmosphere: dust/mist<br>Assessment: Corrosive to the respiratory tract. |
| Acute dermal toxicity     | : LD50 (Rabbit): 87.12 mg/kg                                                                                                    |

### Skin corrosion/irritation

Not classified based on available information.

### Components:

#### Glycerine:

|         |                      |
|---------|----------------------|
| Species | : Rabbit             |
| Result  | : No skin irritation |

#### Alcohols, C10-14, ethoxylated:

|         |                      |
|---------|----------------------|
| Species | : Rabbit             |
| Result  | : No skin irritation |

#### Imidacloprid:

|         |                      |
|---------|----------------------|
| Species | : Rabbit             |
| Result  | : No skin irritation |

### Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

|         |                                            |
|---------|--------------------------------------------|
| Species | : Rabbit                                   |
| Method  | : OECD Test Guideline 404                  |
| Result  | : Corrosive after 1 to 4 hours of exposure |

### Serious eye damage/eye irritation

Not classified based on available information.

### Product:

|         |                     |
|---------|---------------------|
| Species | : Rabbit            |
| Result  | : No eye irritation |

### Components:

#### Glycerine:

|         |                     |
|---------|---------------------|
| Species | : Rabbit            |
| Result  | : No eye irritation |

#### Alcohols, C10-14, ethoxylated:

|         |          |
|---------|----------|
| Species | : Rabbit |
|---------|----------|

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## PREMISE FOAM

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: 09/18/2024  |
| 3.0     | 11/06/2024     | 11272209-00003 | Date of first issue: 09/15/2023 |

Result : Irreversible effects on the eye

### Imidacloprid:

Species : Rabbit  
Result : No eye irritation

### Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Result : Irreversible effects on the eye  
Remarks : Based on skin corrosivity.

### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### Respiratory sensitization

Not classified based on available information.

### Product:

Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitization.

### Components:

#### Alcohols, C10-14, ethoxylated:

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

### Imidacloprid:

Test Type : Magnusson-Kligman-Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

### Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Test Type : Buehler Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Result : positive

Assessment : Probability or evidence of high skin sensitization rate in humans

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## PREMISE FOAM

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: 09/18/2024  |
| 3.0     | 11/06/2024     | 11272209-00003 | Date of first issue: 09/15/2023 |

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### Isobutane:

|                       |                                                                                                                                                                                                                                                 |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Genotoxicity in vitro | : Test Type: Chromosome aberration test in vitro<br>Method: OECD Test Guideline 473<br>Result: negative<br>Remarks: Based on data from similar materials                                                                                        |
|                       | Test Type: Bacterial reverse mutation assay (AMES)<br>Result: negative<br>Remarks: Based on data from similar materials                                                                                                                         |
| Genotoxicity in vivo  | : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)<br>Species: Rat<br>Application Route: inhalation (gas)<br>Method: OECD Test Guideline 474<br>Result: negative<br>Remarks: Based on data from similar materials |

#### Glycerine:

|                       |                                                                                                               |
|-----------------------|---------------------------------------------------------------------------------------------------------------|
| Genotoxicity in vitro | : Test Type: In vitro mammalian cell gene mutation test<br>Result: negative                                   |
|                       | Test Type: Bacterial reverse mutation assay (AMES)<br>Result: negative                                        |
|                       | Test Type: Chromosome aberration test in vitro<br>Result: negative                                            |
|                       | Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)<br>Result: negative |

#### Alcohols, C10-14, ethoxylated:

|                       |                                                                          |
|-----------------------|--------------------------------------------------------------------------|
| Genotoxicity in vitro | : Test Type: Bacterial reverse mutation assay (AMES)<br>Result: negative |
|-----------------------|--------------------------------------------------------------------------|

#### Imidacloprid:

|                       |                                                                           |
|-----------------------|---------------------------------------------------------------------------|
| Genotoxicity in vitro | : Test Type: Bacterial reverse mutation assay (AMES)<br>Result: negative  |
|                       | Test Type: In vitro mammalian cell gene mutation test<br>Result: negative |
|                       | Test Type: Chromosome aberration test in vitro<br>Result: negative        |

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## PREMISE FOAM

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: 09/18/2024  |
| 3.0     | 11/06/2024     | 11272209-00003 | Date of first issue: 09/15/2023 |

---

### Carcinogenicity

Not classified based on available information.

### Components:

#### Glycerine:

|                   |             |
|-------------------|-------------|
| Species           | : Rat       |
| Application Route | : Ingestion |
| Exposure time     | : 2 Years   |
| Result            | : negative  |

#### Alcohols, C10-14, ethoxylated:

|                   |             |
|-------------------|-------------|
| Species           | : Rat       |
| Application Route | : Ingestion |
| Exposure time     | : 2 Years   |
| Result            | : negative  |

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

Not classified based on available information.

### Components:

#### Isobutane:

|                              |                                                                                                                                                                                                                              |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Effects on fertility         | : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test<br>Species: Rat<br>Application Route: inhalation (gas)<br>Method: OECD Test Guideline 422<br>Result: negative |
| Effects on fetal development | : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test<br>Species: Rat<br>Application Route: inhalation (gas)<br>Method: OECD Test Guideline 422<br>Result: negative |

#### Glycerine:

|                      |                                                                                                                             |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------|
| Effects on fertility | : Test Type: Two-generation reproduction toxicity study<br>Species: Rat<br>Application Route: Ingestion<br>Result: negative |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------|

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## PREMISE FOAM

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: 09/18/2024  |
| 3.0     | 11/06/2024     | 11272209-00003 | Date of first issue: 09/15/2023 |

---

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

### Imidacloprid:

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

### STOT-single exposure

Not classified based on available information.

### Components:

#### Isobutane:

Assessment : May cause drowsiness or dizziness.

### STOT-repeated exposure

Not classified based on available information.

### Repeated dose toxicity

### Components:

#### Isobutane:

Species : Rat  
NOAEL :  $\geq 9000$  ppm  
Application Route : inhalation (gas)  
Exposure time : 6 Weeks  
Method : OECD Test Guideline 422

#### Glycerine:

Species : Rat  
NOAEL : 0.167 mg/l  
LOAEL : 0.622 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 13 Weeks

Species : Rat  
NOAEL : 8,000 - 10,000 mg/kg  
Application Route : Ingestion  
Exposure time : 2 y

Species : Rabbit  
NOAEL : 5,040 mg/kg  
Application Route : Skin contact  
Exposure time : 45 Weeks

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## PREMISE FOAM

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: 09/18/2024  |
| 3.0     | 11/06/2024     | 11272209-00003 | Date of first issue: 09/15/2023 |

### Alcohols, C10-14, ethoxylated:

|                   |                           |
|-------------------|---------------------------|
| Species           | : Rat                     |
| NOAEL             | : > 500 mg/kg             |
| Application Route | : Ingestion               |
| Exposure time     | : 90 Days                 |
| Method            | : OECD Test Guideline 408 |

### Imidacloprid:

|                   |               |
|-------------------|---------------|
| Species           | : Mouse, male |
| LOAEL             | : 17 mg/kg    |
| Application Route | : Ingestion   |
| Exposure time     | : 24 Months   |

### Aspiration toxicity

Not classified based on available information.

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Product:

#### Ecotoxicology Assessment

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

#### Components:

##### Glycerine:

|                                                     |                                                                                                |
|-----------------------------------------------------|------------------------------------------------------------------------------------------------|
| Toxicity to fish                                    | : LC50 (Oncorhynchus mykiss (rainbow trout)): 54,000 mg/l<br>Exposure time: 96 h               |
| Toxicity to daphnia and other aquatic invertebrates | : EC50 (Daphnia magna (Water flea)): 1,955 mg/l<br>Exposure time: 48 h                         |
| Toxicity to microorganisms                          | : NOEC (Pseudomonas putida): > 10,000 mg/l<br>Exposure time: 16 h<br>Method: DIN 38 412 Part 8 |

##### Alcohols, C10-14, ethoxylated:

|                                                     |                                                                       |
|-----------------------------------------------------|-----------------------------------------------------------------------|
| Toxicity to fish                                    | : LC50 : 14.63 mg/l<br>Exposure time: 96 h                            |
| Toxicity to daphnia and other aquatic invertebrates | : EC50 (Daphnia magna (Water flea)): 5.64 mg/l<br>Exposure time: 48 h |
| Toxicity to algae/aquatic plants                    | : ErC50: 15 mg/l<br>Exposure time: 72 h                               |

|                                |                  |
|--------------------------------|------------------|
| Toxicity to fish (Chronic tox- | : EC10: > 1 mg/l |
|--------------------------------|------------------|

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## PREMISE FOAM

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: 09/18/2024  |
| 3.0     | 11/06/2024     | 11272209-00003 | Date of first issue: 09/15/2023 |

Toxicity) Exposure time: 30 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: > 1 mg/l  
Exposure time: 21 d

### Imidacloprid:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 211 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50: 0.0027 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 10 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): >= 10 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 9.02 mg/l  
Exposure time: 91 d  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: 0.000056 mg/l  
Exposure time: 21 d

Toxicity to microorganisms : NOEC (activated sludge): 5,600 mg/l  
Exposure time: 3 h

### Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.19 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.16 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Skeletonema costatum (marine diatom)): 0.0052 mg/l  
Exposure time: 48 h

NOEC (Skeletonema costatum (marine diatom)): 0.00049 mg/l  
Exposure time: 48 h

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.02 mg/l  
Exposure time: 36 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.10 mg/l  
Exposure time: 21 d

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## PREMISE FOAM

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: 09/18/2024  |
| 3.0     | 11/06/2024     | 11272209-00003 | Date of first issue: 09/15/2023 |

II

### Persistence and degradability

#### Components:

##### Isobutane:

Biodegradability : Result: Readily biodegradable.  
Remarks: Based on data from similar materials

##### Glycerine:

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 92 %  
Exposure time: 30 d  
Method: OECD Test Guideline 301D

##### Alcohols, C10-14, ethoxylated:

Biodegradability : Result: Readily biodegradable.

##### Imidacloprid:

Biodegradability : Result: not rapidly degradable

##### Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 62 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

### Bioaccumulative potential

#### Components:

##### Isobutane:

Partition coefficient: n-octanol/water : log Pow: 2.8

##### Glycerine:

Partition coefficient: n-octanol/water : log Pow: -1.75

##### Imidacloprid:

Partition coefficient: n-octanol/water : log Pow: 0.57

##### Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Partition coefficient: n-octanol/water : log Pow: < 1

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## PREMISE FOAM

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: 09/18/2024  |
| 3.0     | 11/06/2024     | 11272209-00003 | Date of first issue: 09/15/2023 |

### II

#### Mobility in soil

No data available

#### Other adverse effects

No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

- Waste from residues : It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow container label instructions and applicable local guidelines.  
Do not dispose of waste into sewer.
- Contaminated packaging : Follow advice on product label and/or leaflet.  
Empty containers retain residue and can be dangerous.  
Do not re-use empty containers.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

- UN number : UN 1950  
Proper shipping name : AEROSOLS  
Class : 2.2  
Packing group : Not assigned by regulation  
Labels : 2.2  
Environmentally hazardous : yes

#### IATA-DGR

- UN/ID No. : UN 1950  
Proper shipping name : Aerosols, non-flammable  
Class : 2.2  
Packing group : Not assigned by regulation  
Labels : Non-flammable, non-toxic Gas  
Packing instruction (cargo aircraft) : 203  
Packing instruction (passenger aircraft) : 203

#### IMDG-Code

- UN number : UN 1950  
Proper shipping name : AEROSOLS  
(Imidacloprid, Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1))  
Class : 2.2  
Packing group : Not assigned by regulation  
Labels : 2.2  
EmS Code : F-D, S-U  
Marine pollutant : yes

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## PREMISE FOAM

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: 09/18/2024  |
| 3.0     | 11/06/2024     | 11272209-00003 | Date of first issue: 09/15/2023 |

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### 49 CFR

UN/ID/NA number : UN 1950  
Proper shipping name : Aerosols

Class : 2.2  
Packing group : Not assigned by regulation  
Labels : NON-FLAMMABLE GAS  
ERG Code : 126  
Marine pollutant : yes(Imidacloprid, Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1))  
Remarks : Above applies only to containers over 119 gallons or 450 liters.  
Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Gases under pressure

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### US State Regulations

#### Pennsylvania Right To Know

|           |           |
|-----------|-----------|
| Water     | 7732-18-5 |
| Isobutane | 75-28-5   |
| Glycerine | 56-81-5   |

#### California Permissible Exposure Limits for Chemical Contaminants

|           |         |
|-----------|---------|
| Glycerine | 56-81-5 |
|-----------|---------|

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## PREMISE FOAM


|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: 09/18/2024  |
| 3.0     | 11/06/2024     | 11272209-00003 | Date of first issue: 09/15/2023 |

|                  |   |                                                                   |
|------------------|---|-------------------------------------------------------------------|
| Product Type     | : | Insecticides, acaricides and products to control other arthropods |
| Active substance | : | 0.05 %<br>Imidacloprid                                            |

### SECTION 16. OTHER INFORMATION

#### Further information

##### NFPA 704:



##### HMIS® IV:

|                 |   |   |
|-----------------|---|---|
| HEALTH          | / | 0 |
| FLAMMABILITY    |   | 1 |
| PHYSICAL HAZARD |   | 3 |

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

|                 |   |                                                                                           |
|-----------------|---|-------------------------------------------------------------------------------------------|
| ACGIH           | : | USA. ACGIH Threshold Limit Values (TLV)                                                   |
| NIOSH REL       | : | USA. NIOSH Recommended Exposure Limits                                                    |
| ACGIH / STEL    | : | Short-term exposure limit                                                                 |
| NIOSH REL / TWA | : | Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek |

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemi-

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## PREMISE FOAM

|         |                |                |                                 |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number:    | Date of last issue: 09/18/2024  |
| 3.0     | 11/06/2024     | 11272209-00003 | Date of first issue: 09/15/2023 |

cals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 11/06/2024

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8