

SAFETY DATA SHEET

QUICKSILVER T&O HERBICIDE



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/28/2022	50002700	Date of first issue: 06/28/2022

SECTION 1. IDENTIFICATION

Product identifier

Product name QUICKSILVER T&O HERBICIDE

Other means of identification

Product code 50002700

Recommended use of the chemical and restrictions on use

Recommended use Can be used as herbicide only.

Restrictions on use Use as recommended by the label.

Details of the supplier of the safety data sheet

Manufacturer

FMC Corporation
2929 WALNUT ST
PHILADELPHIA PA 19104
USA
(215) 299-6000 (General Information)
SDS-Info@fmc.com

Emergency telephone

For leak, fire, spill or accident emergencies, call:
1 800 / 424-9300 (CHEMTREC - U.S.A.)
1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:
U.S.A. & Canada: +1 800 / 331-3148
All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Eye irritation : Category 2B

Carcinogenicity : Category 2

Aspiration hazard : Category 1

GHS label elements

Hazard pictograms :



Signal Word : Danger

SAFETY DATA SHEET



QUICKSILVER T&O HERBICIDE

Version 1.0 Revision Date: 06/28/2022 SDS Number: 50002700 Date of last issue: -
Date of first issue: 06/28/2022

Hazard Statements : H304 May be fatal if swallowed and enters airways.
H320 Causes eye irritation.
H351 Suspected of causing cancer.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P331 Do NOT induce vomiting.
P337 + P313 If eye irritation persists: Get medical advice/ attention.

Storage:
P405 Store locked up.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Additional Labeling

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: 4 %

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	CAS-No.	Concentration (% w/w)
Solvent naphtha (petroleum), heavy arom.	64742-94-5	>= 10 - < 30
carfentrazone-ethyl (ISO)	128639-02-1	>= 10 - < 30
2-methylnaphthalene	91-57-6	>= 5 - <= 10
1-methylnaphthalene	90-12-0	>= 5 - <= 10
propane-1,2-diol	57-55-6	>= 1 - < 5
naphthalene	91-20-3	>= 0.1 - <= 1

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

SAFETY DATA SHEET



QUICKSILVER T&O HERBICIDE

Version 1.0 Revision Date: 06/28/2022 SDS Number: 50002700 Date of last issue: -
Date of first issue: 06/28/2022

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Symptoms of poisoning may appear several hours later.
Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : If skin irritation persists, call a physician.
If on skin, rinse well with water.
If on clothes, remove clothes.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : May be fatal if swallowed and enters airways.
Causes eye irritation.
Suspected of causing cancer.
- Notes to physician : Treat symptomatically.
-

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
Chlorine compounds
Fluorine compounds
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

SAFETY DATA SHEET



QUICKSILVER T&O HERBICIDE

Version 1.0 Revision Date: 06/28/2022 SDS Number: 50002700 Date of last issue: -
Date of first issue: 06/28/2022

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Ensure adequate ventilation.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
For disposal considerations see section 13.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.
-

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Do not breathe vapors/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.
- Materials to avoid : Do not store near acids.
- Further information on storage stability : No decomposition if stored and applied as directed.
-

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parameters / Permissible	Basis
------------	---------	---------------------	----------------------------------	-------

SAFETY DATA SHEET



QUICKSILVER T&O HERBICIDE

Version 1.0 Revision Date: 06/28/2022 SDS Number: 50002700 Date of last issue: -
Date of first issue: 06/28/2022

		exposure)	concentration	
Solvent naphtha (petroleum), heavy arom.	64742-94-5	TWA	200 mg/m3 (total hydrocarbon vapor)	ACGIH
carfentrazone-ethyl (ISO)	128639-02-1	TWA (Inhalable particulate matter)	1 mg/m3	ACGIH
propane-1,2-diol	57-55-6	TWA	10 mg/m3	US WEEL

Personal protective equipment

- Respiratory protection : No personal respiratory protective equipment normally required.
- Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
- Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Protective measures : Plan first aid action before beginning work with this product.
Wear suitable protective equipment.
Ensure that eye flushing systems and safety showers are located close to the working place.
- Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Color : off-white
- Odor : solvent-like
- Odor Threshold : No data available
- pH : 4.29
- Melting point/freezing point : No data available

SAFETY DATA SHEET



QUICKSILVER T&O HERBICIDE

Version 1.0 Revision Date: 06/28/2022 SDS Number: 50002700 Date of last issue: -
Date of first issue: 06/28/2022

Initial boiling point and boiling range : No data available

Flash point : 219 °F / 104 °C

Evaporation rate : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : 8.8 lb/gal

Solubility(ies)
Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, dynamic : No data available
Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.

Conditions to avoid : No data available

Incompatible materials : No data available

SAFETY DATA SHEET



QUICKSILVER T&O HERBICIDE

Version 1.0 Revision Date: 06/28/2022 SDS Number: 50002700 Date of last issue: -
Date of first issue: 06/28/2022

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): 4,077 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 6.31 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute toxicity estimate: 0.5041 mg/l
Exposure time: 4 h
Test atmosphere: vapor
Method: Calculation method

Acute dermal toxicity : LD50 (Rat): > 4,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit
Result : Mild skin irritation

Remarks : May cause skin irritation and/or dermatitis.

Serious eye damage/eye irritation

Causes eye irritation.

Product:

Result : Mild eye irritation

Remarks : Vapors may cause irritation to the eyes, respiratory system and the skin.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Result : Not a skin sensitizer.

SAFETY DATA SHEET



QUICKSILVER T&O HERBICIDE

Version 1.0 Revision Date: 06/28/2022 SDS Number: 50002700 Date of last issue: -
Date of first issue: 06/28/2022

Germ cell mutagenicity

Not classified based on available information.

Components:

Solvent naphtha (petroleum), heavy arom.:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Bone marrow chromosome aberration
Species: Rat
Application Route: inhalation (vapor)
Result: negative

carfentrazone-ethyl (ISO):

Germ cell mutagenicity - Assessment : No genotoxic potential

2-methylnaphthalene:

Genotoxicity in vitro : Test Type: sister chromatid exchange assay
Test system: Human lymphocytes
Result: negative

Test Type: Ames test
Result: negative

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

1-methylnaphthalene:

Genotoxicity in vitro : Test Type: sister chromatid exchange assay
Test system: Human lymphocytes
Result: negative

Test Type: Ames test
Result: negative

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

propane-1,2-diol:

Genotoxicity in vitro : Test Type: reverse mutation assay
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse
Result: negative

naphthalene:

SAFETY DATA SHEET



QUICKSILVER T&O HERBICIDE

Version 1.0 Revision Date: 06/28/2022 SDS Number: 50002700 Date of last issue: -
Date of first issue: 06/28/2022

Genotoxicity in vitro : Test Type: reverse mutation assay
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Carcinogenicity

Suspected of causing cancer.

Product:

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Components:

carfentrazone-ethyl (ISO):

Reproductive toxicity - Assessment : Animal testing showed no reproductive toxicity.

propane-1,2-diol:

Effects on fertility : Test Type: reproductive and developmental toxicity study
Species: Mouse
Application Route: Oral
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 414
Result: Animal testing did not show any effects on fertility.
Remarks: Based on data from similar materials

naphthalene:

Effects on fertility : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Inhalation
Result: negative

SAFETY DATA SHEET



QUICKSILVER T&O HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/28/2022	50002700	Date of first issue: 06/28/2022

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Oral
Method: OECD Test Guideline 414
Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

STOT-single exposure

Not classified based on available information.

Components:

carfentrazone-ethyl (ISO):

Remarks : No significant adverse effects were reported

2-methylnaphthalene:

Assessment : May cause respiratory irritation., May cause drowsiness or dizziness.

1-methylnaphthalene:

Assessment : May cause respiratory irritation., May cause drowsiness or dizziness.

STOT-repeated exposure

Not classified based on available information.

Components:

carfentrazone-ethyl (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Solvent naphtha (petroleum), heavy arom.:

Species : Rat, male and female
NOAEC : 0.9 - 1.8 mg/l
Application Route : inhalation (vapor)
Exposure time : 12 months

carfentrazone-ethyl (ISO):

Species : Rat
NOAEL : 58 mg/kg
Application Route : Oral
Exposure time : 90 days

2-methylnaphthalene:

Species : Mouse, female

SAFETY DATA SHEET



QUICKSILVER T&O HERBICIDE

Version 1.0 Revision Date: 06/28/2022 SDS Number: 50002700 Date of last issue: -
Date of first issue: 06/28/2022

LOAEL : 50.3 mg/kg
Application Route : Oral
Exposure time : 81 w
Dose : 0, 50.3, 107.6 mg/kg-d
Symptoms : pulmonary effects, immune system effects

Species : Mouse
Application Route : Dermal
Exposure time : 30 w
Number of exposures : 2/w
Dose : 119 mg/kg-application
Symptoms : pulmonary effects
Remarks : Based on data from similar materials

1-methylnaphthalene:

Species : Mouse, female
LOAEL : 50.3 mg/kg
Application Route : Oral
Exposure time : 81 w
Dose : 0, 50.3, 107.6 mg/kg-d
Symptoms : pulmonary effects, immune system effects
Remarks : Based on data from similar materials

Species : Mouse
Application Route : Dermal
Exposure time : 30 w
Number of exposures : 2/w
Dose : 119 mg/kg-application
Symptoms : pulmonary effects
Remarks : Based on data from similar materials

propane-1,2-diol:

Species : Rat, male and female
NOAEL : 1,700 mg/kg
Application Route : Oral
Exposure time : 2 Years

Species : Rat, male and female
NOAEL : 1,000 mg/kg
LOAEL : 160 mg/kg
Application Route : Inhalation
Exposure time : 90 Days

Aspiration toxicity

May be fatal if swallowed and enters airways.

Product:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

SAFETY DATA SHEET



QUICKSILVER T&O HERBICIDE

Version 1.0 Revision Date: 06/28/2022 SDS Number: 50002700 Date of last issue: -
Date of first issue: 06/28/2022

Experience with human exposure

Components:

Solvent naphtha (petroleum), heavy arom.:

Skin contact : Symptoms: Repeated exposure may cause skin dryness or cracking.

2-methylnaphthalene:

Skin contact : Target Organs: Skin
Symptoms: Irritation

1-methylnaphthalene:

Skin contact : Target Organs: Skin
Symptoms: Irritation

Neurological effects

Components:

carfentrazone-ethyl (ISO):

No neurotoxicity observed in animal studies.

Further information

Product:

Remarks : Solvents may degrease the skin.

Remarks : Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Solvent naphtha (petroleum), heavy arom.:

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 2 - 5 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EL50 (Daphnia magna (Water flea)): 1.4 mg/l
aquatic invertebrates : Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : EL50 (Pseudokirchneriella subcapitata (green algae)): 1 - 3
plants : mg/l
Exposure time: 24 h
Method: OECD Test Guideline 201

SAFETY DATA SHEET



QUICKSILVER T&O HERBICIDE

Version 1.0 Revision Date: 06/28/2022 SDS Number: 50002700 Date of last issue: -
Date of first issue: 06/28/2022

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EL50 (Daphnia magna (Water flea)): 0.89 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Toxicity to microorganisms : LL50 (Tetrahymena pyriformis): 677.9 mg/l
Exposure time: 72 h
Test Type: Growth inhibition

carfentrazone-ethyl (ISO):

Toxicity to fish : LC50 (Fish): 1.6 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): > 9.8 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Anabaena flos-aquae (cyanobacterium)): 0.012 mg/l
Exposure time: 72 h

NOEC (algae): 0.001 mg/l
Exposure time: 96 h

EC50 (Lemna gibba (gibbous duckweed)): 0.0057 mg/l
Exposure time: 14 d

Toxicity to fish (Chronic toxicity) : NOEC (Fish): 0.0187 mg/l
Exposure time: 21 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Crustaceans): 0.22 mg/l
Exposure time: 21 d

Toxicity to soil dwelling organisms : LC50 (Eisenia fetida (earthworms)): > 820 mg/kg

Remarks: No significant adverse effect on Nitrogen mineralization.

No significant adverse effect on Carbon mineralization.

Toxicity to terrestrial organisms : LD50 (Anas platyrhynchos (Mallard duck)): > 5,620 ppm
End point: Acute oral toxicity

LD50 (Colinus virginianus (Bobwhite quail)): > 5,620 ppm
End point: Acute oral toxicity

LD50 (Apis mellifera (bees)): > 200 µg/bee
End point: Acute oral toxicity

LD50 (Apis mellifera (bees)): > 200 µg/bee
End point: Acute contact toxicity

2-methylnaphthalene:

Toxicity to fish : LC50 (Fish): 2 mg/l
Exposure time: 96 h

SAFETY DATA SHEET



QUICKSILVER T&O HERBICIDE

Version 1.0 Revision Date: 06/28/2022 SDS Number: 50002700 Date of last issue: -
Date of first issue: 06/28/2022

Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia): 1.49 mg/l
End point: Immobilization
Test Type: static test

1-methylnaphthalene:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 9 mg/l
Exposure time: 48 h
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.42 mg/l
End point: Immobilization
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 12 mg/l
Exposure time: 14 d
Test Type: static test

propane-1,2-diol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : (Mysidopsis bahia (opossum shrimp)): 18,800 mg/l
Exposure time: 96 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 34,100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 13,020 mg/l
Exposure time: 7 d

Toxicity to microorganisms : EC50 (Pseudomonas putida): > 20,000 mg/l
Exposure time: 18 h

naphthalene:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1.6 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.16 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Skeletonema costatum (marine diatom)): 0.4 - 0.5 mg/l
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus kisutch (coho salmon)): 0.37 mg/l
Exposure time: 40 d

SAFETY DATA SHEET



QUICKSILVER T&O HERBICIDE

Version 1.0 Revision Date: 06/28/2022 SDS Number: 50002700 Date of last issue: -
Date of first issue: 06/28/2022

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia pulex (Water flea)): 0.59 mg/l
Exposure time: 125 d

Toxicity to microorganisms : IC50 (Bacteria): 29 mg/l
Exposure time: 24 h

Persistence and degradability

Components:

Solvent naphtha (petroleum), heavy arom.:

Biodegradability : Result: Inherently biodegradable.
Biodegradation: 58.6 %
Exposure time: 28 d
Method: OECD Test Guideline 301F
Remarks: Based on data from similar materials

carfentrazone-ethyl (ISO):

Biodegradability : Result: Not readily biodegradable.

1-methylnaphthalene:

Biodegradability : Result: Not readily biodegradable.

propane-1,2-diol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 23.6 %
Exposure time: 64 d
Method: OECD Test Guideline 306

naphthalene:

Biodegradability : Result: Inherently biodegradable.
Biodegradation: 67 %
Exposure time: 12 d

Bioaccumulative potential

Components:

Solvent naphtha (petroleum), heavy arom.:

Partition coefficient: n-octanol/water : log Pow: 3.72
Method: QSAR

carfentrazone-ethyl (ISO):

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 176
Remarks: See section 9 for octanol-water partition coefficient.

2-methylnaphthalene:

Partition coefficient: n- : log Pow: 3.86

SAFETY DATA SHEET



QUICKSILVER T&O HERBICIDE

Version 1.0 Revision Date: 06/28/2022 SDS Number: 50002700 Date of last issue: -
Date of first issue: 06/28/2022

octanol/water

1-methylnaphthalene:

Partition coefficient: n-octanol/water : log Pow: 3.87

propane-1,2-diol:

Partition coefficient: n-octanol/water : log Pow: -1.07

naphthalene:

Bioaccumulation : Species: Cyprinus carpio (Carp)
Bioconcentration factor (BCF): 168

Partition coefficient: n-octanol/water : log Pow: 3.7

Mobility in soil

Components:

carfentrazone-ethyl (ISO):

Distribution among environmental compartments : Remarks: Mobile in soils

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.

SAFETY DATA SHEET



QUICKSILVER T&O HERBICIDE

Version 1.0 Revision Date: 06/28/2022 SDS Number: 50002700 Date of last issue: -
Date of first issue: 06/28/2022

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.
(Carfentrazone-ethyl, Naphthalene)
Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Carfentrazone-ethyl, Naphthalene)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.
(Carfentrazone-ethyl, Naphthalene)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Carfentrazone-ethyl, Naphthalene)
Class : 9
Packing group : III
Labels : CLASS 9
ERG Code : 171

SAFETY DATA SHEET



QUICKSILVER T&O HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/28/2022	50002700	Date of first issue: 06/28/2022

Marine pollutant : yes (Carfentrazone-ethyl, Naphthalene)
Remarks : Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489):

propane-1,2-diol	57-55-6	>= 1 - < 5 %
------------------	---------	--------------

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know

SAFETY DATA SHEET



QUICKSILVER T&O HERBICIDE

Version 1.0 Revision Date: 06/28/2022 SDS Number: 50002700 Date of last issue: -
Date of first issue: 06/28/2022

water	7732-18-5
Solvent naphtha (petroleum), heavy arom.	64742-94-5
carfentrazone-ethyl (ISO)	128639-02-1
Oxirane, methyl-, polymer with oxirane, monobutyl ether	9038-95-3
propane-1,2-diol	57-55-6
high molecular weight polymeric emulsifier	Not Assigned

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

The ingredients of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AICC : Not in compliance with the inventory

DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.

ETHYL (RS)-2-CHLORO-3-{2-CHLORO-5-[4-(DIFLUOROMETHYL)-4,5-DIHYDRO-3-METHYL-5-OXO-1H-1,2,4-TRIAZOL-1-YL]-4-FLUOROPHENYL}PROPIONATE

high molecular weight polymeric emulsifier

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI : Not in compliance with the inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SAFETY DATA SHEET




QUICKSILVER T&O HERBICIDE

Version 1.0 Revision Date: 06/28/2022 SDS Number: 50002700 Date of last issue: -
Date of first issue: 06/28/2022

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



0 No health threat, 1 Slightly Hazardous, 2 Hazardous, 3 Extreme danger, 4 Deadly

HMIS® IV:

HEALTH	*	3
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)
ACGIH / TWA : 8-hour, time-weighted average
US WEEL / TWA : 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Develop-

SAFETY DATA SHEET



QUICKSILVER T&O HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/28/2022	50002700	Date of first issue: 06/28/2022

ment; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

US / EN

Prepared by:

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2021 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet